



THE CROMMELIN GROUP

Innovation Powered by Experience



EDITION 2 - NOV 2018

2018/19 PRODUCTS



 **BLUEBIRD**

HONDA



GROUND CARE

CROMMELINS RETICULATION TRENCHER.



These Trenchers are easy to use for controlled digging straight to the exact depth with an absolute minimum of effort. The Groundhog Trenchers slim design fits through narrow gates and doorways, and allows trenching close to walls and fences, perfect for NBN Contractors.

IDEAL FOR

- Hire and rental
- NBN Cabling
- Reticulation & plumbing
- Councils and government departments

STANDARD FEATURES

- 'Shark' tooth cutting blades
- Digging chain guard
- Solid roller digging chain for increased life
- Up to 2.5 to 3m (8-10Fft) per minute productivity
- Centrifugal clutch with all metal shoes and drum, needle bearing equipped
- Side deliver auger
- Wide pneumatic tyres with tubes
- Heavy duty steel frame
- Heavy duty lift hook
- 2 Year manufacturer's warranty



	T418RP / T418DS
OPERATIONAL LENGTH (IN)	18" (460MM)
DIGGING DEPTH (IN)	8", 12" & 18" (203, 305 & 460MM)
DIGGING WIDTH (IN)	3" (75MM)
ENGINE MODEL	6HP EX17
ENGINE BRAND	ROBIN
FUEL TANK	3.6L
DECIBELS @ 7M	66db
WEIGHT (DRY)	110KG
DIMENSIONS (LxWxH)	1600 x 610 x 1200MM
MANUFACTURER'S WARRANTY	2 YEAR

CROMMELINS WOOD CHIPPERS.



Crommelins Wood Chippers feature twin reversible chipping blades and the single adjustable anvil blade easily 'cuts' through tree branches. With options from home to farm/commercial models these heavy duty models will suit most chipping needs.

STANDARD FEATURES

- Twin reversible chipper blades and single adjustable anvil blade
- Deep hopper with rubber curtain
- Vibration free operation under load
- Foot mounted emergency stop switch
- Easy remove hopper and discharge chute
- Large wheels for transport on site
- Simple maintenance & belt tensioning
- Heavy duty rotor bearings with grease points
- Heavy duty 3mm steel plate construction
- Removable front handle
- 2 Year manufacturer's warranty

IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments and parks & gardens

OPTIONAL EXTRAS

- Electric start with AGM battery (GTS13 models)
- Lifting points
- Honda powered



	GTS600RP	GTS900RP	GTS1300RP	GTS1310RP (HIRE MODEL)
GREEN WOOD DIAMETER (MM)	50MM	80MM	100MM	100MM
CHIPPER BLADE WIDTH (MM)	60MM	195MM	250MM	250MM
EXTRA FEATURES	FOOT MOUNTED E/STOP, EXTRA LONG FEED CHUTE	FOOT MOUNTED E/STOP	FOOT MOUNTED E/STOP	FOOT MOUNTED E/STOP, PANIC BAR, LOCKABLE RECOIL START, AUTO SHUT-OFF ON HOPPER & CHUTE
INPUT HOPPER SIZE (MM)	250 x 250MM	250 x 250MM	340 x 420MM	340 x 420MM
ENGINE MODEL	7HP EX21	9HP EX27	14HP EX40	14HP EX40
ENGINE BRAND	ROBIN	ROBIN	ROBIN	ROBIN
FUEL TANK	3.6L	6.1L	7.0L	7.0L
DECIBELS @ 7M	72db	74db	74db	74db
WEIGHT (DRY)	58KG	133KG	165KG	175KG
DIMENSIONS (LxWxH)	1340 x 470 x 1320MM	1500 x 630 x 1520MM	1500 x 750 x 1520MM	1500 x 750 x 1520MM
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

GROUNDHOG POST HOLE DIGGERS.



The Crommelins Post Hole Diggers are ideal for fencing, tree planting and landscaping. Single person and two-person operation models all designed for operator comfort and ease of use.

STANDARD FEATURES

- Genuine Robin industrial engine
- Centrifugal clutch disengages on hidden obstacles
- Ergonomic handlebars with 'dead man' switch providing safe operation
- Reversible blade auger design to double the life
- Made in the USA

IDEAL FOR

- Hire and rental
- Fencing contractors
- Agriculture & farming
- Tree planting
- Landscaping

OPTIONAL EXTRAS

- Honda powered
- Display stand
- Augers 2", 4", 6" and 8" [for GHM1H]
- Augers 2" to 12" (Other models)
- Augers 14" to 18" (HD99SX only)
- Auger extensions (3ft and 6ft)



	GHM1H	C715RP / C715SX	1M5CRP / 1M5CSX	HD99RP / HD99SX
AUGER WIDTH (IN)	8" (203MM)	12" (305MM)	12" (305MM)	18" (457MM)
OPERATING TYPE	ONE-PERSON	TWO-PERSON	ONE-PERSON	ONE-PERSON
ENGINE MODEL	1.6HP EH035	6HP EX17	6HP EX17	9HP EX27
ENGINE BRAND	ROBIN	ROBIN	ROBIN	ROBIN
FUEL TANK	0.65L	3.6L	3.6L	6.1L
DECIBELS @ 7M	69db	66db	66db	70db
WEIGHT (DRY)	11.5KG	35KG	85KG	135KG
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

CROMMELINS STAR PICKET DRIVERS.

Fencing has never been made easier with Crommelins Picket/Post Drivers. These machines will efficiently hammer star pickets and posts into the ground. Built to be lightweight, they have versatile sleeves to allow for use with different sized Star (Y) Pickets, steel posts and timber stakes.

STANDARD FEATURES

- Genuine Robin/Honda industrial engine
- 4-Stroke, petrol powered
- Lightweight for its size
- Anti-vibration handles
- Large impact force provides efficient driving
- Compact and easily transportable

IDEAL FOR

- Hire and rental
- Fencing
- Agriculture & farming
- Landscaping
- Sign companies

OPTIONAL EXTRAS

- Picket/Post reducer sleeves
- Cradle (PDCRADLE)
- Case (PDCASE)



	SP52CR	SP52CH	SP82CR	SP82CH
PICKET/POST CAPACITY (IN)	2" (50.8MM)	2" (50.8MM)	3 ¼" (82MM)	3 ¼" (82MM)
IMPACT BLOW	1720/MIN	1720/MIN	1720/MIN	1720/MIN
ENGINE MODEL	1.6HP EH035	GX35	1.6HP EH035	GX35
ENGINE BRAND	ROBIN	HONDA	ROBIN	HONDA
FUEL TANK	0.65L	0.63L	0.65L	0.63L
DECIBELS @ 7M	69db	69db	69db	69db
WEIGHT (DRY)	16KG	16KG	19.5KG	19.5KG
DIMENSIONS (LxWxH)	590 x 340 x 200MM	590 x 340 x 200MM	590 x 340 x 200MM	590 x 340 x 200MM
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

BLUEBIRD STUMP GRINDER.

Bluebird's Stump Grinder maximizes cutting performance with its 14" (356mm) diameter blade with carbide-tipped teeth, offering a variable cutting depth up to 12" (300mm). The compact design and clean sight lines of the stump grinder make it easy to use and maneuver through narrow gates and other tight areas.

STANDARD FEATURES

- Up to 12" (300mm) cutting depth
- 14" Cutting wheel with replaceable tungsten carbide-tipped teeth
- 13.0hp GX390 Honda engine with cyclone air filter
- Adjustable handle enables the operator to maintain a comfortable and safe stance throughout the stump grinding job.
- Hayes disc brake - lever activated
- Handle brake and levers
- Greaseable pillow block bearings support cutter wheel
- Lift handles for transport and storage
- 12" Pneumatic knobby tread wheels



PHOTO SHOWN
WITH ROBIN
ENGINE

SG12RP / SG1314SD

GRINDING DISC (IN)	14" (356MM)
OPERATIONAL DEPTH (IN)	12" (300MM)
ENGINE MODEL	GX390
ENGINE BRAND	HONDA
FUEL TANK	6.1L
WEIGHT (DRY)	115KG
DIMENSIONS (LxWxH)	1850 x 686 x 1140MM
MANUFACTURER'S WARRANTY	1 YEAR



IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments



DE-THATCHERS.



These machines are for removing years of build up of dead thatch in lawns. Using flail or fixed knife blades they will strip the thatch which is then raked up. This then promotes healthy regrowth and improved water absorption.

IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments

VM15R STANDARD FEATURES

- Ribbon steel blades for long life
- Simple and easy to use
- Low maintenance
- Heavy gauge steel frame
- 6 month manufacturer's warranty

Note: Not recommended for buffalo lawns

PR18 STANDARD FEATURES

- Flail Blade (for removing matted thatch).
- Ergonomic handle with padded grips to reduce operator fatigue
- Three-position handle for user comfort
- Folding handle for transport
- Strong steel frame

PR18 OPTIONAL EXTRAS

- Delta blade - thinning running stem grasses.
- Flail blade - removing matted thatch



VM15R

OPERATIONAL WIDTH (IN)	17" (432MM)
OPERATIONAL HEIGHT (IN)	N/A
MODEL BRAND	INGS
ENGINE MODEL	9HP EX27
ENGINE BRAND	ROBIN
FUEL TANK	6.1L
WEIGHT (DRY)	56KG
DIMENSIONS (LxWxH)	1600 x 800 x 1200MM
MANUFACTURER'S WARRANTY	6 MONTHS



PHOTO SHOWN WITH ROBIN ENGINE

PR18

OPERATIONAL WIDTH (IN)	18" (457MM)
OPERATIONAL HEIGHT (IN)	7X PRESETS 1" TO -1" (AT 1/4" INCREMENTS)
MODEL BRAND	BLUEBIRD
ENGINE MODEL	GX200
ENGINE BRAND	HONDA
FUEL TANK	3.1L
WEIGHT (DRY)	59KG
DIMENSIONS (LxWxH)	1160 x 670 x 990MM
MANUFACTURER'S WARRANTY	1 YEAR

SOD AND TURF CUTTERS.



Where there is turf to remove, these Sod-turf Cutters will cut up the competition! A low center of gravity, and a vibration-isolated handle make it the smoothest and most stable to use.

IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments

SC550 STANDARD FEATURES

- Simplified depth setting adjusts up to 2.5" (60mm) depth.
- 5 x Speeds (2 x Cut speeds, 2 x Transport, 1 x Reverse)
- Soft grip rubber handle reduces vibration
- 4WD Operation for extra torque
- Up to 1404m²/hr - low speed productivity
- Up to 1822m²/hr - high speed productivity
- Strong steel frame
- Lightweight aluminum plate arms reduce vibration and feature maintenance-free ball bearings
- 10" semi-pneumatic v-tractor tread wheels

OPTIONS

- **Turf Cutting** - Using the wedged blade driven by an oscillating cam, the machine can cut to a depth of 1-10 cm and a proficient operator can cut turf from 20-50m per minute, depending on requirements and conditions
- **Turf Slitting** - can be achieved with three, four or five vertical blades used to break compaction on bowling greens, golf greens and tees, tennis courts, etc
- **Trenching** - uses a v-shaped blade and will cut into turf for the laying of reticulation pipes, etc
- **Mole Draining** - uses a bullet shaped blade which is suitable for dragging conduit and the like underground



	TC16S
CUTTING WIDTH (IN)	16" (355MM)
CUTTING DEPTH (IN)	4" (100MM)
MODEL BRAND	INGS
ENGINE MODEL	6HP EX17
ENGINE BRAND	ROBIN
FUEL TANK	3.6L
WEIGHT (DRY)	130KG
DIMENSIONS (LxWxH)	1450 x 850 x 500MM
MANUFACTURER'S WARRANTY	6 MONTHS

	SC550H
CUTTING WIDTH (IN)	18" (457MM)
CUTTING DEPTH (IN)	2.5" (60MM)
MODEL BRAND	BLUEBIRD
ENGINE MODEL	GX200
ENGINE BRAND	HONDA
FUEL TANK	3.1L
WEIGHT (DRY)	150KG
DIMENSIONS (LxWxH)	1370 x 610 x 910MM
MANUFACTURER'S WARRANTY	1 YEAR

BLUEBIRD LAWN AERATOR.

This self propelled aerator is used to core holes into compacted lawns. By removing the cores this allows the soil to loosen and water to feed directly to the root matter.

STANDARD FEATURES

- 30 x 2cm Coring tines (closed spoon design) hardened for long life
- Genuine Briggs & Stratton industrial engine
- Rotating tines for easy turning
- Aerating pattern 76-100mm
- Up to 2034m²/hr productivity
- 2 x 16kg removable weights
- Front wheels - 10" semi-pneumatic
- Rear wheels (8" solid rubber)
- Fold down handles for easy transportation and storage



	530
CUTTING WIDTH (IN)	19" (482MM)
CUTTING DEPTH (IN)	3" (75MM)
MODEL BRAND	BLUEBIRD
ENGINE MODEL	4HP 6:1 REDUCTION ENGINE
ENGINE BRAND	BRIGGS & STRATTON
FUEL TANK	3.1L
WEIGHT (DRY)	131KG
DIMENSIONS (LxWxH)	1220 x 736 x 1295MM
MANUFACTURER'S WARRANTY	1 YEAR



IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments



WATER-FILLED LAWN ROLLERS.



These simple, no fuss rollers are very easy to use. Operate the roller by placing the unit on the lawn, filling it with water and then pull the roller along the lawn to flatten out.

IDEAL FOR

- Hire and rental
- DIY

60L POLY WATER ROLLER FEATURES

- Lightweight (when unfilled)
- 25mm double bung system for quick emptying
- Steel handle and frame
- Impact resistant PVC roller
- Dimensions package - 650x450x450MM



GALVANISED SPIKED ROLLER FEATURES

- Galvanised
- Internal galvanizing protects when filled with water.
- 600mm operating width
- 300mm diameter
- 150mm spikes



GTM ELEPHANTS TRUNK

Exclusive to CROMMELINS, the GTM Elephants Trunk is an ergonomically designed harness to take the weight of a hedge trimmer off the operator. Comfortable and easy to setup, this will reduce operator fatigue and risk of back/arm injury to work all day safely, in comfort, with less effort.

STANDARD FEATURES

- Adjustable strapping (for all sizes)
- Suited to petrol powered hand held tools such as hedge trimmers and long-reach hedge cutters
- Adjustable tension cable reduces apparent weight to no more than 1.5kg (20N to 30N)
- Tension cable winds in/out to operate at all heights
- Rotates up to 15 degrees for off center operation
- Separates into 2 pieces for storage and transport
- Carry bag included.

IDEAL FOR

- Landscaping
- Garden contractors
- Shires and councils
- Parks and gardens
- Golf courses



	ET2
OPERATIONAL ROTATION (°)	UP TO 15°
OPERATIONAL WEIGHT (kg)	EQUIPMENT UP TO 4.5kg
WEIGHT (DRY)	5KG
MANUFACTURER'S WARRANTY	1 YEAR





WARRANTY



3 YEAR ROBIN ENGINE WARRANTY

Robin Industrial Engines and Robin Imported Products (Pumps, Generators) come with a 3 year manufacturer's warranty.



2 YEAR MANUFACTURER'S WARRANTY

CROMMELINS™ brand products powered by a Robin Industrial Engine come with a 2 year manufacturer's warranty.



1 YEAR MANUFACTURER'S WARRANTY

All other products including CROMMELINS™, CROMTECH™, flexible drive products (ie FP2T), high pressure pumps and imported products come with a 1 year manufacturer's warranty.



OTHER BRANDS WARRANTY

Other branded products come with warranties provided by their manufacturer, ie. Golz, American Sanders, AR Blue Clean.

—
**AWARD WINNING
SERVICE &
BACKUP**

WARRANTY EXPLAINED

Crommelins Machinery warrants their goods against defects in materials and workmanship under normal use and service.

The Crommelins Machinery warranty does not cover fair wear commensurate with the age of the product, any damage caused by accident, abuse, misuse, neglect or failure to observe proper operating instructions or proper machinery maintenance as described in the instruction manual.

It is the owners responsibility to regularly maintain a product in accordance with the owners manual and only use the equipment for its designed purpose.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

CONSUMER ADVICE

Any claim under these warranties must be made within warranty period from the date of purchase of the product.

To make a claim under the warranty, you must return the product (with proof of purchase) to the closest warranty agent or to the place of purchase.

Where a failure does not amount to a major failure, Crommelins Machinery is entitled to choose between providing you with a repair, replacement or refund. To obtain compensation, you would need to provide documentary evidence of the loss or damage suffered, and documentary evidence that such loss or damage was a reasonably foreseeable consequence of a failure by Crommelins Machinery to comply with a consumer guarantee under the Australian Consumer Law.

CROMMELINS™, CROMTECH™, CROMTECH OUTBACK™, CROMMELINS FINANCE™, DOLPHIN™ is registered trademarks of Crommelins Operations Pty Ltd, trading as The Crommelin Group.

SERVICE AGENTS

There are over 185 national authorised service/repair agents available, visit www.crommelins.com.au for their details and locations. For engine brands other than Robin please contact the manufacturer for service agents.

CROMMELINS PRODUCTS

Crommelins takes pride in all products they sell and they live by their company Mission Statement; "To be the supplier of choice to Hire and Construction Industry by providing high quality portable powered products."

THE CROMMELIN GROUP

ABN 11 008 889 656

PO Box 352, BENTLEY WA 6982

PH (08) 9350 5588

FAX (08) 9451 6381

E email@crommelins.com.au

CROMMELINS™
EST. 1958
MACHINERY

CROMMELINS™
EST. 1958
MACHINERY

SALES
&
SPARE
PARTS



REPAIRS & SERVICE
CALL US

REPAIRS & SERVICE
CALL US

REPAIRS & SERVICE
CALL US



CROMMELINS
AUSTRALIA



